

# Population Projection Using The Implementation of Differential Equation of Logistic Models

Dewi Anggreini<sup>1</sup>, Dian Septi Nur Afifah<sup>2</sup>, Diesty Hayuhantika<sup>3</sup>, Ratri Candra Hastari<sup>4</sup>,  
Ratih Puspasari<sup>5</sup>  
{ dewi.angreini@stkipggritulungagung.ac.id<sup>1</sup> }

STKIP PGRI Tulungagung<sup>12345</sup>

**Abstract.** Projections of the population have long been an essential problem in the world. Population size and growth in a country directly influence the situation of the economy, policy, culture, education, and costs of natural resources. This study aims to determine the projected population growth in the East Java local city in Indonesia, named Ponorogo, using a logistic growth model based on the growth rate and carrying capacity. The research method used in the first stage is to determine the research subject. The second stage is (a) collecting research data (b) data analysis and finally drawing conclusions. This research is a new way of determining population projections based on growth rate and carrying capacity so that population projection data can be obtained in 2030. The results of the study show that IV logistics model is more appropriate for predicting the population in Ponorogo Regency for 2030, which is 889.956 people with a capacity of 912.355,44 people. The results of this study can be useful as policymakers for the Central Statistics Agency, Civil Registry Service in projecting the number of residents in the future as well.

**Keywords:** Carrying Capacity, Logistic Growth Model, Population Growth, Projection Population.

## 1 Introduction

Ponorogo is a regency which is popular with reog city. Ponorogo had a population of 868,814 inhabitants and the density of a population of 631 inhabitants/km<sup>2</sup>[1]. The population density is the number of residents per unit area/unit area. Ponorogo has an area of 1,371.78 km<sup>2</sup> with an altitude between 92 up to 2,563 meters above sea level which has divided into two sub area, namely the area of Plateau covering Pulung, Sooko, Ngrayun, and Ngebel sub-district, the rest is a lowland area. The focus of this research has founded a new way to calculate the carrying capacity, rate of growth and the number of inhabitants, so that the population projection data got may use by the users of the data population and civil registry Department or Central Bureau of Statistics as a consideration of decision-making.

The formulation of this research is how to determine the value of carrying capacity that limits the population in Ponorogo Regency, how to determine the population growth rate, how to calculate the population in Ponorogo Regency in 2030, how to determine the projected population in Ponorogo Regency using a logistical model. Projections of the population have long

been an important problem in the world. Population size and growth in a country directly influence the situation of the economy, policy, culture, education, and costs of natural resources.

By applying the logistic model consists of some errors. For the accuracy of prediction, we define appropriate error equation which satisfies the trend of population growth of China. In this work, we can minimize the error in the prediction of the population of China. Through appropriate higher order error equation and by using a logistic model we can predict the population of China. It should also be noted that for China to reach its carrying capacity of 2.2 billion, It would take more than 200 years. After all one discussion, it is cleared that the logistic model approach incorporated with error equation is good tool in population estimation.[2]

Science has developed rapidly lately, including differential equations. In the development of differential equations can be represented on problems that occur in everyday life. Population growth is one example of the application of differential equations in the field of Biology. In ecology, population growth is often referred to as "population dynamics"[3].

In describing the growth process of living things in a population, mathematically, differential equations are used which describe the relationship of dependence between population numbers at successive times. Most models of development and growth of living things follow the rules relating to the forms of non-linear functions, one example of this growth model is the logistic growth model, which is a growth model that takes into account logistical factors in the form of food availability and living space.

The logistic growth model is a growth model that takes into account logistical factors in the form of food availability and living space. In the logistic model assume that at a certain time the population will approach the equilibrium point. At this point, the number of births and deaths is considered the same, so the graph is close to constant.

The results of another study showed an accurate logistic growth model to calculate carrying capacity values, population growth rates, population projections from the city of DKI Jakarta and the city of Surabaya[4]; to find out the population projection of West Sumatra Province [5]; and to make a population growth model of Maluku Province based on data of the population of the Maluku province using exponential and logistical models[6]. Carrying capacity is obtained by trial and error. Furthermore, using the obtained model predicted the population of Maluku province in 2020. Whereas in this study the carrying capacity value will be determined based on the logistic equation, population growth rate and population projection in Ponorogo Regency in the year 2030 uses the Excel and Maple programs.

## **2 Literature Study**

### **2.1 Growth rate**

The value of  $r$  is called the intrinsic growth rate because the growth rate is in accordance with the rate of growth of per capita achievement if the size of the small population is sufficient to be convincing from a limited source [7]. So is a value that describes the power of growing a population. In this case, it is assumed  $r > 0$  that is, considering that each population has the potential to breed.

## 2.2 Capability Environment (Carrying Capacity)

The modification of the logistic equation as follows, the rate of growth and the saturation point is considered to be no longer constant but rather as a function of time is  $r = r(t)$  and  $K = \text{constant}$ . So thus the modified logistic equation has a form  $\frac{dN}{dt} = rN(1 - \frac{N}{K})$ , Where  $K = \frac{a}{b}$ , value  $K$  is the limit of growth where the population starts to grow below this value, does not cross but only approaches that value.  $K$  is also called the saturation level. So  $K$  is the carrying capacity of an area for population and value  $r$  termed the intrinsic growth rate is a value that describes the growing power of a population.  $N$  use values derived from the value of carrying capacity limit of that follows equation (1)

$$N_{(t)} \max = \lim_{t \rightarrow \infty} N(t) = \frac{a}{b} = \frac{N_1(2N_0N_2 - N_2N_1 - N_0N_1)}{N_0N_2 - N_1^2} \quad (1)$$

## 2.3 Logistics Growth Model

The logistical equation is prepared based on the assumption that the population will seek balance with the environment so that it has a stable age distribution [3]. A population has a growth rate which gradually according to constant with a constant  $r$ . Influence  $r$  to increase because of growing population density is the instantaneous response or outright, and there are no delays or gaps of time (time lag). Throughout the time the growth of environmental conditions has not changed. The effect of density is the same for all age levels of the population. Opportunities for breeding are not affected by density. The logistic model used in this study is followed equation (2)

$$N(t) = \frac{K}{e^{-rt}(\frac{K}{N_0} - 1) + 1} \quad (2)$$

with  $K$  obtained from follows equation (3)

$$\lim_{t \rightarrow \infty} N(t) = \frac{a}{b} = \frac{N_1(2N_0N_2 - N_2N_1 - N_0N_1)}{N_0N_2 - N_1^2}. \quad (3)$$

## 2.4 Function

Definition 1 [8]

Known  $R$  relation from  $A$  to  $B$ . If every  $x \in A$  related  $R$  with exactly one  $y \in B$  then  $R$  called the function of too. So, relations  $R$  from  $A$  to  $B$  called a function if for each  $x \in A$  there is exactly one  $y \in B$  so that  $b = R(a)$ . Next, if  $f$  is a function of the set  $A$  to the set  $B$ , then it is written  $f: A \rightarrow B$ . In this case, the set  $A$  called the domain or region of definition or area of origin, while the set  $B$  named codomain or function area  $f$ .

Definition 2. [8]

A function  $f$  is a rule that matches each element  $x$  in a set  $A$  exactly one element, called  $f(x)$ , in a set  $B$ .

## 2.5 Integral

Definitions 4 [9].

$F$  called a derivative proof  $f$  at intervals  $I$  if  $D_x F(x) = f(x)$  on  $I$  that is if  $F'(x) = f(x)$  for each  $x$  in  $I$ .

Theorem 1 [9].

If  $r$  is any rational number except  $-1$ , then (equation (4))

$$\int x^r dx = \frac{x^{r+1}}{r+1} + C \quad (4)$$

Definitions 5 [7].

An indeterminate or antiderivative integral is a reverse operation looking for a derivative function. Strictly speaking, in finding derivative functions, if a function  $F$  is known the function can be determined  $f$  so:  $\frac{dF(x)}{dx} = f(x)$  for each  $x \in [a, b]$ . Conversely, in an indeterminate integral if a function  $f$  is known on function will be determined  $F$  on the hose so  $\frac{dF(x)}{dx} = f(x)$  for each  $x \in [a, b]$  This operation is usually written:  $\int f(x)dx = F(x)$ ,

In this case, a function  $f$  called the integrand function, and function  $F$  called primitive functions  $f$ .

If known  $\int f(x)dx = F(x)$  it can also be written  $\int f(x)dx = F(x) + C$ , with  $C$  any real constant because of equation (5)

$$\frac{d(F(x)+C)}{dx} = \frac{d(F(x))}{dx} + \frac{d(C)}{dx} = \frac{d(F(x))}{dx} + 0 = f(x) \quad (5)$$

Therefore, if  $F$  primitive function  $f$  then it is generally written as equation (6)

$$\int f(x)dx = F(x) + c. \quad (6)$$

## 2.6 Differential Equations

The differential equation is an equation that contains one or more derivatives of an unknown function. A border differential equation can be written in the form of equation (7)

$$F(x, y, y', y'', \dots, y^{(n)}) = 0 \quad (7)$$

With  $y^{(n)}$  symbolizes the derivative to  $n$  from  $y$  to  $x$ . Special cases if  $F$  a linear function of  $y', y'', \dots, y^{(n)}$  equatithe on can be written as the following form:

Differential Equations which can be written in an equation (8)

$$a_0(x)y^{(n)} + a_1(x)y^{(n-1)} + \dots + a_n(x)y = F(x), \quad (8)$$

With  $a_0, a_1, \dots, a_n$  and  $F$  functions of  $x$  only and  $a_0(x) \neq 0$  called linear order  $n$  differential equations. The equation is linear in  $y', y'', \dots, y^{(n)}$ .

## 2.7 First Order Linear Differential Equations

Differential equations with shapes  $\frac{dy}{dx} + Py = Q$  [9], with  $P$  and  $Q$  is a function  $x$  only, called the First Order Differential equation. An equation of this type in principle can always be solved. First, multiply the two segments by integral factors.

$S. S = e^{\int p(x)dx}$ , which produce equation (9)

$$e^{\int p(x)dx} \frac{dy}{dx} + e^{\int p(x)dx} P(x)y = Q(x)e^{\int p(x)dx}. \quad (9)$$

Then identify the left side as the derivative of  $ye^{\int p(x)dx}$ , so the equation forms equation (10)

$$\frac{d}{dx}(ye^{\int p(x)dx}) = Q(x)e^{\int p(x)dx} \quad (10)$$

Integration of the two generating sections.  $ye^{\int p(x)dx}$  So that (equation (11))

$$\frac{d}{dx}(ye^{\int p(x)dx}) = Q(x)e^{\int p(x)dx} \quad (11)$$

## 3 Research Method

This study used a descriptive method with qualitative approaches. This study is a descriptive study with a qualitative approach f intended to apply a differential equation model of population growth in the population in Ponorogo especially logistic population model. This study uses secondary data collection from several sources to be processed. There is two research stage that used in this study. The first stage is to determine the subject of research, while the subject of the study was the number of people starting in 2010 until the year 2016 in Ponorogo. The Second Stage is (1) collecting research data, while the research data collection is obtained from secondary data in the Ponorogo Regency Central Bureau of Statistics (2) data analysis and finally draw conclusions. The location of this research is Ponorogo Regency Central Bureau of Statistics (BPS).

### 3.1 Model used

The logistic growth model uses the rules of logistics (logistic law) that the logistic supply limits. This model assumes that at certain times the population will approach equilibrium [10]. At this point, the number of births and deaths is considered the same so that the graph will be near constant (zero growth). Zero population is certainly an equilibrium population. However, the major interest is in the case in which  $N=a/b$ . This is the largest population which the environment can sustain without loss, the so-called carrying capacity of the environment. From these assumptions, a population growth model was derived which was called the logistic growth model, namely (equation (12))

$$\frac{1}{N} \frac{dN}{dt} = r - \frac{r}{K} N \quad \text{or} \quad \frac{dN}{dt} = rN \left(1 - \frac{N}{K}\right). \quad (12)$$

### 3.2 Data collection technique

The data used in this study there is only one type, namely secondary data. Secondary data were collected from several sources, including data of the population was taken from the Central Statistics Agency (BPS) Ponorogo district from 2010 until the year 2016.

### 3.3 Data Analysis Techniques

The techniques used in analyzing the form and model of this study are as follows: a) M constructing models of differential equations Verhulst / logistics, b) find a solution of differential equations  $\frac{dN}{dt} = rN \left(1 - \frac{N}{K}\right)$ . c). The time taken is measured and the initial number of population and population in the following year are assumed when  $t = 0$ , that is  $N_0$  when  $t = 1$  which is  $N_1$  and when  $t = 2$  which is  $N_2$ . d). determine to carrying capacity. e) Look for population growth rates, namely  $r$  using the solution of the logistic equation model.

- 1) Summing the population in Ponorogo Regency with a logistical equation solution.
- 2) Determining the projected population in Ponorogo Regency uses a logistic growth model whose value is close to the census results.

## 4 Results And Discussion

### 4.1 Logistics Growth Model

The logistic model assumes that at certain times the number of population will approach an equilibrium point (equilibrium). At this point, the number of births and deaths is considered the same, so the graph is close to constant. The simplest form for the relative growth rate that accommodates these assumptions as equation (13)

$$\frac{1}{N} \frac{dN}{dt} = k \left(1 - \frac{N}{K}\right) \quad (13)$$

Multiply by  $N$ ; the model is obtained for known population growth

### 4.2 Logistical differential equation

$$\frac{dN}{dt} = rN \left(1 - \frac{N}{K}\right) \quad (14)$$

Notice from equation (14) that if  $N$  is small compared to  $K$ , then  $N/K$  close to 0 and  $dN/dt \approx rN$ . However, if  $N \rightarrow K$  (population approaches capacity), then  $N/K \rightarrow 1$ , so  $\frac{dN}{dt} \rightarrow 0$ . If population  $N$  is between 0 and  $K$ , then the right segment of the equation above is positive, so  $\frac{dN}{dt} \rightarrow$

1 and population rises. But if the population exceeds its capacity ( $N > K$ ), then  $1 - \frac{N}{K}$  negative, so  $\frac{dN}{dt} < 0$  and the population goes down.

$$N = \frac{Ke^{rt+c}}{1+e^{rt+c}} \quad (15)$$

From equation (15) if we give the initial value  $t = 0$  and  $N(0) = N_0$ , then substitute it into equation (15) then the value  $c = \ln(N_0 / K - N_0)$  will be obtained then  $c$  value is substituted again in equation (15) so that a special solution is obtained from the logistics model as equation (16)

$$N = \frac{K}{e^{-rt}(\frac{K}{N_0}-1)+1} \quad (16)$$

### 4.3 Formulation Model

The population growth rate that continues to increase can be minimized by the presence of inhibiting factors. The logistic growth model is a growth model that is limited by an inhibiting factor. Derived the equation model as equation (17)

$$\frac{dN(t)}{dt} = aN(t) \left(1 - \frac{N(t)}{M}\right) \quad (17)$$

If  $M = a / b$  then obtained equation (18) and equation (19)

$$\frac{dN(t)}{dt} = aN(t) - bN^2(t) \quad (18)$$

$$\frac{1}{a} \left( \ln N(t) - \ln(a - bN(t)) \right) = t + C \quad (19)$$

If given conditions  $t = 0$  so  $N(0) = N_0$  obtained  $C = \frac{1}{a} (\ln N_0 - \ln(a - bN_0))$  Therefore equation (19) becomes equation (20)

$$\frac{1}{a} \left( \ln N(t) - \ln(a - bN(t)) \right) = t + \frac{1}{a} (\ln N_0 - \ln(a - bN_0)) \quad (20)$$

Obtained value as follows equation (21)

$$N(t) = \frac{a/b}{1 + \left(\frac{a/b}{N_0} - 1\right)e^{-at}} \quad (21)$$

Suppose at the moment  $t = 1$  and  $t = 2$  from equation (21) is obtained equation (22)

$$N_1 = \frac{b}{a} (1 - e^{-a}) = \frac{1}{N_1} - \frac{e^{-a}}{N_0} \quad \text{and} \quad N_2 = \frac{b}{a} (1 - e^{-2a}) = \frac{1}{N_2} - \frac{e^{-2a}}{N_0} \quad (22)$$

From equation (22) is obtained equation (23) and equation (24)

$$(1 + e^{-a}) = \frac{\frac{1}{N_2} \frac{e^{-2a}}{N_0}}{\frac{1}{N_1} \frac{e^{-a}}{N_0}}, \quad (23)$$

$$\text{So that } e^{-a} = \frac{N_0(N_1 - N_2)}{N_2(N_0 - N_1)}, \quad (24)$$

Equation (24) is substituted in equation (22) so that it is obtained equation (25)

$$\frac{b}{a} = \frac{N_0 N_2 - N_1^2}{N_1(2N_0N_2 - N_2N_1 - N_0N_1)} \quad (25)$$

Thus the value of K or carrying capacity is obtained from the limit value of  $N(t)$  as follows equation (26)

$$N(t)_{max} = \lim_{t \rightarrow \infty} N(t) = \frac{a}{b} = \frac{N_1(2N_0N_2 - N_2N_1 - N_0N_1)}{N_0N_2 - N_1^2} \quad (26)$$

#### 4.4 Data on Population in Ponorogo Regency

In this study, data on the number of people used the data of population census results in Ponorogo from the year 2010 until the year 2016 sourced from the Central Statistics Agency (BPS) in Ponorogo. The following is Table 1 which states the population in Ponorogo district from 2010-2016:

**Table 1.** Data on Population Numbers Ponorogo Regency

Year	Population Numbers
2010	856.682
2011	859.302
2012	861.806
2013	863.890
2014	865.809
2015	867.393
2016	868.814

#### 4.5 Completion of the Population Growth Logistics Model Ponorogo Regency

To determine the logistic model from the population data in Ponorogo Regency in Table 1 above, it was previously assumed that time ( $t$ ) measured in years and suppose  $t = 0$  in 2010 then the initial requirement is  $N(0) = 856.682$ .

Next is to determine the carrying capacity value that follows equation (27)

$$K = \text{that is } N(t)_{Max} = \lim_{t \rightarrow \infty} N(t) = \frac{a}{b} = \frac{N_1(2N_0N_2 - N_2N_1 - N_0N_1)}{N_0N_2 - N_1^2} \quad (27)$$

From Table 1 obtained  $t = 0, 1, 2$  in 2010, 2011, 2012 with each values are  $N_0 = 856.682$ ,  $N_1 = 859.302$ , and  $N_2 = 861.806$

Value  $N_0, N_1, N_2$  substituted together to find the value of carrying capacity to obtain a value that limits the population in Ponorogo Regency, East Java Province, as in equation (28)

$$N(t) = \frac{a}{b} \quad (28)$$

Then the calculation is as follows equation (29)

$$N(t)_{max} = \lim_{t \rightarrow \infty} N(t) = \frac{a}{b} = \frac{N_1(2N_0N_2 - N_2N_1 - N_0N_1)}{N_0N_2 - N_1^2} \quad (29)$$

By substituting  $N_0, N_1, N_2$  to formula (29) result value  $K = 912,355.44$ .

Value  $K$  and  $N_0$  distributed to the logistics model solution (30) so that it is obtained

$$\begin{aligned} N &= \frac{K}{e^{-rt} \left( \frac{K}{N_0} - 1 \right) + 1}, \\ N &= \frac{912.365,44}{e^{-rt} \left( \frac{912.365,44}{856.682} - 1 \right) + 1}, \\ N &= \frac{912.365,44}{e^{-rt} (0,064999) + 1}, \end{aligned} \quad (30)$$

Furthermore, from the equation (30) a logistic model will be found that can represent the rate of population growth in Ponorogo Regency for  $t = 1$  in 2010 then  $N(1) = 859.302$  if distributed to equations (30) is obtained in equation (31)

$$\begin{aligned} 859.302 &= \frac{912.365,44}{e^{-r} (0,06499) + 1} \\ e^{-r} (0,06499) &= \frac{912.365,44 - 859.302}{859.302}, \\ e^{-r} (0,06499) &= 0,06175 \\ e^{-r} &= \frac{0,06175}{0,06499} = 0,95004, \\ -r &= \ln(0,95004) \\ -r &= -0,05124 \\ r &= 0,05124 \end{aligned} \quad (31)$$

A value obtained is redistributed to (30) then produces equation (32)

$$N = \frac{912.365,44}{(0,06499)e^{-(0,05124)t} + 1}, \quad (\text{Model I}) \quad (32)$$

For  $t = 2$  in 2012 then  $N(2) = 861.806$  if substituted to equation (30) is obtained  $r = 0,051245$

If a value  $r$  obtained is substituted return  $p$  exists (30) then produces equation (33)

$$N = \frac{912.365,44}{(0,06499)e^{-(0,051248)t} + 1} \quad (\text{Model II}) \quad (33)$$

For  $t = 3$  in 2013 then  $N(3) = 863.890$ , if substituted to equation (30) is obtained  $r = 0,049001$

If a value  $r$  obtained is substituted again at (30) then proceed equation (34)

$$N = \frac{912.365,44}{(0,06499)e^{-(0,04900)t} + 1} \quad (\text{Model III}) \quad (34)$$

For  $t = 4$  in 2014 then  $N(4) = 865.809$ , if substituted into equation (30) is obtained  $r = 0,04740$

If a value  $r$  obtained is substituted again at (30) then proceed equation (35)

$$N = \frac{912.365,44}{(0,06499)e^{-(0,04740)t} + 1} \quad (\text{Model IV}) \quad (35)$$

For  $t = 5$ , in 2015 then  $N(5) = 867.393$ , if substituted into equation (30) is obtained  $r = 0,04521$

If a value  $r$  obtained is substituted again at (30) then produces equation (36)

$$N = \frac{912.365,44}{(0,06499)e^{-(0,04521)t} + 1} \quad (\text{Model V}) \quad (36)$$

For  $t = 6$ , in 2016 then  $N(6) = 868.814$ , if substituted into the equation (30) obtained  $r = 0,04327$

If a value  $r$  obtained is substituted again at (30) then yields equation (37)

$$N = \frac{912.365,44}{(0,06499)e^{-(0,04327)t} + 1} \quad (\text{Model VI}) \quad (37)$$

From the results of the calculation above, the logistical model results are obtained as follows:

1) Logistics Model I, the form of the equation (38)

$$N = \frac{912.365,44}{(0,06499)e^{-(0,05124)t} + 1} \quad (38)$$

with relative growth rate per year is 5.1 %

2) Logistics Model II, the form of the equation (39)

$$N = \frac{912.365,44}{(0,06499)e^{-(0,05125)t} + 1} \quad (39)$$

with the relative growth rate per know, n is 5.1 %

3) Logistics Model III, the form of the equation (40)

$$N = \frac{912.365,44}{(0,06499)e^{-(0,049001)t} + 1} \quad (40)$$

with the relative growth rate per year is 4.9 %

- 4) Logistics Model IV, the form of the equation (41)

$$N = \frac{912.365,44}{(0,06499)e^{-(0,04740)t} + 1} \quad (41)$$

with the relative growth rate per know, n is 4, 7%

- 5) Logistics Model V, the form of the equation (42)

$$N = \frac{912.365,44}{(0,06499)e^{-(0,04521)t} + 1} \quad (42)$$

with its relative growth rate per known is 4.5 %.

- 6) Logistics Model VI, the form of the equation (43)


$$N = \frac{912.365,44}{(0,06499)e^{-(0,04327)t} + 1} \quad (43)$$

with relative growth rate per year is 4, 3%.

Based on the calculation by applying the logistical model I to the logistical model VI, the population in Ponorogo district in 2010-2016 was obtained. Then the results of the model calculations are compared with the calculation of the results of the population census from The Central Bureau of Statistics (Table 2 and **Figure 1**).

**Table 2.** Comparison of population amount between census results and model results

Year	Census Result	Model 1	Model 2	Model 3	Model 4	Model 5	Model 6
2010	856.682	856.689	856.681	856.689	856.681	856.681	856.689
2011	859.302	859.312	859.312	859.197	859.117	859.012	859.312
2012	861.806	861.812	861.812	861.600	861.445	861.234	861.812
2013	863.890	864.203	864.203	863.892	863.671	863.369	864.203
2014	865.809	866.485	866.493	866.098	865.811	865.425	866.485
2015	867.393	868.671	868.671	868.200	867.862	867.399	868.671
2016	868.814	870.752	870.752	870.212	869.831	869.292	870.752



**Fig.1** Comparison of population amount between census results and model results

The logistical model IV gives results that are close enough to the census results. Besides the accuracy of the, IV logistical model is quite good, it can be seen from the results of the population in Ponorogo Regency in 2010-2016 which produced the IV logistical model almost the same as the 2010-2016 population census. Thus I logistic model IV was chosen as the final model that will be used to predict the population in Ponorogo Regency in the population census 2030.

#### 4.6 Prediction of Population in Ponorogo Regency Year 2030

Because the IV logistics model is used to predict the number of residents in the Regency Ponorogo in the year 2030, then the model equation is equation (44)

$$N = \frac{912.365,44}{(0,06499)e^{-(0,04740)t} + 1} \quad (44)$$

Furthermore, to predict the number of population in 2030 taken  $t = 20$  substituted into the logistical model 1 above obtain equation (45)

$$N = \frac{912.365,44}{1,02518} = 889.956 \quad (45)$$

The number of people in Ponorogo in 2030 resulting logistic model is 889.956 (see **Figure 2**).




Fig.2 Prediction of Population in Ponorogo Regency Year 2030

## 5 Conclusion

Based on the Maple chart, the population in Ponorogo Regency in the future will not exceed the carrying capacity, but it will approach the carrying capacity value. The carrying capacity value is 912.355,44. The population growth rate in Ponorogo Regency is 0.04740. The population in Ponorogo Regency in 2030 is 889.956 people. Projections of the population in Ponorogo Regency are more appropriate to use the IV logistical model because the value is close to the census results with the equation (46)

$$N = \frac{912.365,44}{(0,06499)e^{-(0,04740)t} + 1} \quad (46)$$

## Reference

- [1] BPS-Statistics, Katalog BPS: 2101018. Jakarta: Badan Pusat Statistik, Jakarta, 2017.
- [2] M. B. Patel, Ajay J. Prajapati, "Estimation for Future Population Growth of China by using Logistic model," *Int. J. Sci. Dev. Res.*, vol. 1, no. 9, pp. 52–56, 2016.
- [3] R. C. Tarumingkeng, *Dinamika Populasi Kajian Ekologi Kuantitatif*. Jakarta: Pustaka Sinar Harapan, 1994.
- [4] A. Kwardiniya, J. Matematika, and U. Brawijaya, "Proyeksi Penduduk Provinsi DKI Jakarta dan Kota Surabaya dengan Model Pertumbuhan Logistik," no. 7, pp. 232–235, 2011.
- [5] L. F. dan Efendi, "Menentukan Model Pertumbuhan Penduduk," *J. Mat. Univ. Andalas*, vol. 2, no. 4, pp. 54–58.
- [6] Z. Nuraeni, "Aplikasi Persamaan Diferensial Dalam Estimasi Jumlah Populasi," *Ilm. Pendidik. Mat.*, vol. 5, no. 1, pp. 9–16, 2017.
- [7] A. Hastings, "Mathematical Models in Population Biology and Epidemiology . Texts in Applied Mathematics, Volume 40 . By Fred Brauer and , Carlos Castillo-Chávez. New York: Springer . \$59.95. xxiii + 416 p; ill.; index. ISBN: 0–387–98902–1. 2001. ," *Q. Rev. Biol.*, 2003.
- [8] Supama, *Kalkulus 1*. Yogyakarta: Fakultas Matematika dan IPA, Universitas Gadjah Mada, 2003.
- [9] D. Varberg and E. J. Purcell, *Kalkulus Jilid 1 Edisi Tujuh*. Batam: Interaksara, 2001.
- [10] R. Huberman, *Mathematical Models Mechanical Vibrations, Population Dynamics and Traffic Flow (An Introduction To Applied Mathematics)*. New Jersey: Prentice Hall, Inc, 1994.